

M-Euro VW 5w30

FULLY SYNTHETIC, LOW SAPS, VW 504 00/507, ACEA A3/B4

DESCRIPTION

M-Euro VW 5w30 is a high performance technically advanced, fully synthetic low saps lubricant. Specially formulated for late model passenger motor vehicles including those fitted with diesel particulate filters (DPF's). M-Euro VW 5w30 meet's VW's latest top tier engine specifications for long drain intervals VW 504 00/507 00.

M-Euro VW 5w30 is formulated with low saps technology and performs even in the most demanding conditions. It is suitable for the latest European vehicles requiring ACEA A3/B4 specification such as VW, BMW and other European vehicles. M-Euro VW 5w30 meets BMW long-life LL-04, Mercedes Benz 229.51 specification.

FEATURES & BENEFITS

- · Technically advanced synthetic formulation
- Suitable for use where diesel particulate filters are required (DPF's)
- · Extended drain intervals
- · Advanced soot and sludge control
- Reduces fuelconsumption
- Environmentally friendly, ensures the engine's anti-pollution systems operate at optimum performance

MEETS THE FOLLOWING SPECIFICATIONS:

- ACEA C3 (2012)
- ACEA B4 (2004)
- ACEA B4 (2004)
- Volkswagen VW504 00
- Volkswagen VW507 00
- MB P229.51
- Porsche C30
- BMW Longlife-04



M-Euro VW 5w30

FULLY SYNTHETIC, LOW SAPS, VW 504 00/507 00

TYPICAL CHARACTERISTICS

	TEST METHOD	UNITS	RESULTS
Density @ 15°C	ASTM D1298	kg/L	0.86
Kinematic Viscosity			
@ 40°C	ASTM D445	cSt	64.5
@ 100°C	ASTM D445	cSt	10.6
Viscosity Index	ASTM D2270		>154
Pour Point	ASTM D97	°C	-34
Flash Point (COC)	ASTM D92	°C	210
Total Base Number	ASTM D2896	mgKOH/g	6.0
Sulphated Ash	ASTM D874	% mass	<0.7

THE FEATURES MENTIONED ABOVE ARE AVERAGE VALUES OBTAINED WITH SOME VARIABILITY IN PRODUCTION AND DO NOT CONSTITUTE A SPECIFICATION

STORAGE

All packages should be stored under cover to avoid the possible ingress of water and the obliteration of drum markings. Products should not be stored above 60°C.

HEALTH, SAFETY AND ENVIRONMENT

Health, safety and environmental information is provided for this product in the relevant Materials Safety Data Sheet, which can be obtained from our website www.monsterlubricants.com.au.

PO BOX 442

RAMSGATE NSW 2217
INFO@MONSTERLUBRICANTS.COM.AU
WWW.MONSTERLUBRICANTS.COM.AU